


# TEST REPORT

**“3M™ PELTOR™ Head Protection Combination  
G3000 with 3M™ Uvicator™“-Indicator**



## Owner of test certificate

3M Deutschland GmbH  
Carl-Schurz-Str. 1  
D-41453 Neuss

Fon. +49 (0) 2131 / 14 - 0  
Fax. +49 (0) 02131 / 14 2649

[innovation.de@mmm.com](mailto:innovation.de@mmm.com)  
[www.solutions.3mdeutschland.de](http://www.solutions.3mdeutschland.de)



**KWF-Utility Value Approval:  
April 2015  
Valid for: 5 years  
(extension possible)  
First approved March 2004**

**Test No. 3778**

# SHORT DESCRIPTION

**Helmet:** (Type/version): Helmet Peltor G 3000 with Uvicator-Sensor  
ABS/ventilation / individual accessory slots  
Colour: yellow, orange or HighVis.

**Service life** KWF recommends four years after production date, or before if subjected to impact, or when the UV sensor colour has faded.  
3M Peltor indicates in the user information 2 to 5 years after production date and points out the Uvicator as an additional instrument to realize that point of time.

**Ear defender:** (Type/version): Cups, Optime I-III; H31P3e; X4  
Attenuation (HML) M [dB(A)]= 30(X4P3),  
26 (H31), 23 (Optime 1), 28 (Optime 2), 32 (Optime 3)

**Visor:** (Type/version): V1B; V4BK,V4CK,V4JK SV; V5B,V5C and V5J

**Accessory slots:** (Type/version): single accessory slots (without ear defenders), 2 step ratchet

**Accessories** 3-point chinstrap GH4, integrated eyewear, Ratchet system, neck cover, helmet adapter

**Weight of head protection combination:** approx.600 g

# EVALUATION SUMMARY

**Test evaluation from 2004:**

**Application field** all-year forestry tasks, especially suited for chainsaw work.

Test item	Overall evaluation
Helmet G 3000 with Uvicator-Sensor	+
Ear defenders H31P3E, Optime I-III, Lite-Com (radio)	+
Ear defenders X4P3 (re-tested 2015)	+
Visor V1B,V4BK,V4CK und V4JK SV	+
<b>Evaluation:</b>	<b>good</b>

++ = excellent; + = good; o = satisfactory; - adequate; -- = inadequate

**Results from September 2007: following accessories rated positive:**

- Modified ear defenders H31 P3E OR (with increased contact pressure)
- V4KJ modified visor
- Eyewear V 6 E Clear, Anti-Fog, as accessory eyewear

# EVALUATION OF TH UVICATOR FROM THE PRXIS

The Uvicator has proved in practice to be an insufficient instrument for determining the aging. The Uvicator never bleaches in practical forest use in Germany, before the age of 4 years is reached. 3M provided an user information where it was only referred to the fading of the Uvicator. The KWF recommends not following this indication.

**Publisher:**



**Kuratorium für Waldarbeit und Forsttechnik e. V.  
Spremberger Str. 1  
64823 Gross-Umstadt  
Tel. +49 6078/785-0  
Fax +49 6078/785-39  
E-Mail: [pruefung@kwf-online.de](mailto:pruefung@kwf-online.de)  
Internet: [www.kwf-online.de](http://www.kwf-online.de)**